

Specifications for Furniture: Tender# P-TAD-18-09-01

Department of Textile & Apparel Design (PC-1)

Sr. No.	Description/Specifications	Qty
01	<p>OFFICE CHAIR</p> <p>Revolving Chair Adjustable Lumbar Support and Instant Seat Height Adjustment. Robust Metal/Plastic 5-Prong Base Upholstered with Best Quality Foam & Leatherite/Fabric, or mesh fabric back Revolving & Reclining Gas Lifter Mechanism with Wheel Caster + Arm Rest</p> <p>Minimum Dimensions: Seat Height 18-22 inches Overall Height 40-48 inches Backrest Width 18-20 inches Backrest Height 24-26 inches Overall Depth 20-24 inches Base Diameter 25-27 inches</p> 	20

02	<p>VISITOR CHAIRS</p> <p>Upholstered with best quality foam & leatherite /fabric Frame: Made of A class wood, Polished with approved colour/Finish or M.S Pipe 16 gauge. Gas Arc welded, Finished with A grade powder coating of approved colour. Soft rubber foot for all legs</p> <p>Minimum Dimensions:</p> <p>Seat Height 18 inches Overall Height 36 inches Backrest Width 20 inches Overall Depth 18 inches Base Diameter 25 inches</p> 	40
03	<p>CUTTING TABLE</p> <p>Minimum Dimensions:</p> <p>96"x48"x40" L x W x H</p> <p>Structure: 1 ½"x 1 ½" M.S Square pipe 16-gauge. A-grade Powder coated. Adjustable Soft rubber foot for all table legs.</p> <p>Top: Laminated water proof MDF sheet, edge secured with wood plan arctrive.</p> <p>Fabrication: Steel Frame: Arc welded smooth finish</p>	04

		
04	<p>DONKEY TABLE</p> <p>Made entirely of 1"dia MS Pipe of 18 gauge, Arc welded and powder coated in desired colour.</p> <p><u>Minimum Dimensions:</u></p> <p>Seat Dimensions 20 ½ "H x 09"W x 24"L Drawing Board Rest 20 ½ "H x 9"W Bench dimensions 43"L x 15"W Seat made of water Proof, A grade Laminated sheet covered with wood moulding, finished and polished to matching colour.</p>	25

		
05	<p>CHAIRS FOR STUDENT</p> <p><u>Minimum Dimensions:</u></p> <p>Size Seat: 22" (W) 29"(D)18"(H) Back :32" from floor Size Arm: 17"x11" Steel Frame: Ms Pipe 1 "x1 "x 18 gauge. A-Grade Powder coated. Fabrication: Steel Frame: Gas Arc welded smooth finish Arm, Seat and Back support made of Polished Hard wood (Minimum 3/4" thick) Soft rubber foot for all four legs</p>	100

